



Light and narrow  
skid steer loader.

**ELISE**100


first.green

Fully **electric**,  
effortlessly portable\*  
and powerful.



\*Tailored to be hauled even on trailers with a limit of 3.5 tonnes.

Cost **effective,**  
nearly no  
maintenance.



# Powered with technology.

Elise 700 is a lighter version of the Elise 900 skid steer loader, thanks to a lithium battery and light, narrow profile.



Battery endurance

**4+** hours

Dependant on use, conditions and configuration

Hinge pin height

**3627** mm


346mm higher reach than the competing average

Total width

**1700** mm

Ease of transport, improved mobility





Lighter, narrower and surprisingly powerful

Delivery on demand

Minimal maintenance

100% eco-friendly drive

Lithium battery and narrower profile

Fits to a basic personal vehicle tow trailer

Chassis clearance

**210** mm

Allows off-road capabilities  
while still highly portable

Remote control

**50** m

15 m with  
smart app

Number of charging cycles

**3000+**

Low level of degradation  
with high performance

# Technical specs.



## GENERAL SPECIFICATIONS

Rated load capacity	700 kg
Tipping load	1 400 kg
Minimum travel speed	0.15 km/h
Maximum speed	12-15 km/h
Maximum travel speed	12-15 km/h

## MOTOR

Electric engine type	3x Best Motor
Rated power	3x10 kW
Maximum power	3x27 kW
Maximum torque	3x160 Nm

## TUNE-UP YOUR MACHINE

### Options


- Air conditioning
- Windowless cabin re-build set
- Hard-mounted display
- Rubber or steel track set for increased traction
- Cable set pre-install for electric attachments
- Danfoss remote control
- Lifting points
- Set of wheel with universal tires, heavy terrain tires, smooth surface tires or solid tires
- Set of marking and accessories for road operation

### Standard features

- Lithium battery with capacity 280 Ah and fast charging capability
- External battery charger
- Electric heater
- Battery cover opening
- GPS module
- Apple / Android smartphone with control app
- Rear-view camera
- Left and right rear view mirrors
- Mandatory lightning
- Front work light
- Rear work lights
- Orange beacon light
- Travel alarm
- Emergency exit window
- Front roller sunshade
- Roof tinted glass
- Windscreen wiper with washer
- Safety reinforced cab
- Seat, door and seatbelt sensors
- Speed coupler – SAE J2513
- Self leveling bucket system
- Multiple control option – ISO, H pattern and inverted H pattern

Compare technical specifications for this product online at [first.green](https://www.first.green)

**ELISE<sup>100</sup>**



#### WEIGHTS

Rated operating weight 2 800 kg


Total weight of the loader 3 500 kg

#### HYDRAULICS

Hydraulic oil pressure 180 Bar

Hydraulic oil flow 65 l/min

Hydraulic oil reservoir 40 l





Maintenance



Logistics



Construction



Contractors / Rentals



Agriculture



# With a wide range of attachments.



Standard bucket



Concrete mixer




Pallet forks



Hammer



Auger



... plus 34 other attachments  
on [first.green](https://www.first.green)



For more FIRSTGREEN products, visit  
**first.green**

+420 737 633 733, [info@first.green](mailto:info@first.green)